

Usuário
d
1C82-0000-19E5-MAAX-4009-3829-****

Windows XP 6.2
AMD64
Wow64Process
WinAspi: -

NTSPTI used
Nero Version: 7.11.10.
Internal Version: 7, 11, 10,
(Nero Express)
Recorder: <HL-DTST DVD-RAM GH24NS95> Version: RN00 - HA1 TA0 - 7.11.10.0
Adapter driver: <IDE> HA1
Drive buffer : 768kB
Bus Type : default
CD-ROM: <HL-DTST DVD-RAM GH24NS95 > Version: RN00 - HA1 TA0 - 7.11.10.0
Adapter driver: <IDE> HA1

=== Scsi-Device-Map ===

: ST1000DM010-2EP102 CC43 iaStorAPort 0 ID 0 DMA: Off
: HL-DTSTDVD-RAM GH24NS95 RN00 iaStorAPort 0 ID 0 DMA: Off

=== CDRom-Device-Map ===

HL-DTST DVD-RAM GH24NS95 D: CdRom0
=====

AutoRun : 1
Excluded drive IDs:
WriteBufferSize: 83886080 (0) Byte
BUFE : 0
Physical memory : 2047MB (2097151kB)
Free physical memory: 2047MB (2097151kB)
Memory in use : 44 %
Uncached PFiles: 0x0
Use Inquiry : 1
Global Bus Type: default (0)
Check supported media : Disabled (0)

12.7.2021

Gravar imagem do DVD

20:14:56 #1 Ext 0 File SCSIPTICommands.cpp, Line 450
LockMCN - completed successfully for IOCTL_STORAGE_MCN_CONTROL

20:14:56 #2 Ext 0 File Burncd.cpp, Line 3500
Turn on Disc-At-Once, using DVD media

20:14:56 #3 Ext 0 File DlgWaitCD.cpp, Line 307
Last possible write address on media: 2298495 (510:46.45, 4489MB)
Last address to be written: 1807839 (401:44.39, 3530MB)

20:14:56 #4 Ext 0 File DlgWaitCD.cpp, Line 319
Write in overburning mode: NO (enabled: CD)

20:14:56 #5 Ext 0 File DlgWaitCD.cpp, Line 2988
Recorder: HL-DTST DVD-RAM GH24NS95, Media type: DVD-R
Disc Manufacturer ID: <RITEKF> <1>
DiscApplication Code: 64, Disc Physical Code: 193

20:14:56 #6 Ext 0 File DlgWaitCD.cpp, Line 493
>>> Protocol of DlgWaitCD activities: <<<
=====

```

20:14:56      #7 Ext 0 File ThreadedTransferInterface.cpp, Line 778
Setup items (after recorder preparation)
0: TRM_DAA_MODE1 (2 - CD-ROM Modo 1, ISO 9660)
  2 indices, index0 (150) not provided
  original disc pos #0 + 1807840 (1807840) = #1807840/401:44.40
  not relocatable, disc pos for caching/writing not required/not required
  -> TRM_DAA_MODE1, 2048, config 0, wanted index0 0 blocks, length 1807840 blocks [D: H
L-DTST DVDROM GH24NS95]
-----

20:14:56      #8 Ext 0 File ThreadedTransferInterface.cpp, Line 979
Prepare [D: HL-DTST DVDROM GH24NS95] for write in CUE-sheet-DAO
DAO infos:
=====
MCN: ""
TOCType: 0x00; Session Closed, disc fixated
Tracks 1 to 1:          Idx 0      Idx 1      Next Trk
1: TRM_DAA_MODE1, 2048/0x00, FilePos          0          0  3702456320, ISRC ""
DAO layout:
=====
   Start | Track | Idx | CtrlAdr | Size | NWA | RecDep
   -----|-----|-----|-----|-----|-----|-----
0 | lead-in | 0 | 0x41 | 0 | 0 | 0x00
0 | 1 | 0 | 0x41 | 0 | 0 | 0x00
0 | 1 | 1 | 0x41 | 1807840 | 1807840 | 0x00
1807840 | lead-out | 1 | 0x41 | 0 | 0 | 0x00

20:14:56      #9 Ext 0 File SCSIPTICommands.cpp, Line 240
SPTILockVolume - completed successfully for FSCTL_LOCK_VOLUME

20:14:56      #10 Ext 0 File Burncd.cpp, Line 4286
Caching options: cache CDROM or Network-Yes, small files-Yes (<64KB)

20:14:56      #11 Phase 24 File dlgburnst.cpp, Line 1767
Caching of files started

20:14:56      #12 Ext 0 File Burncd.cpp, Line 4405
Cache writing successful.

20:14:56      #13 Phase 25 File dlgburnst.cpp, Line 1767
Caching of files completed

20:14:56      #14 Phase 36 File dlgburnst.cpp, Line 1767
Burn process started at 16x (22.160 KB/s)

20:14:57      #15 Ext 0 File ThreadedTransferInterface.cpp, Line 2726
Verifying disc position of item 0 (not relocatable, no disc pos, no patch infos, orig at #0): write at
#0

20:14:57      #16 Ext 0 File DVDR.cpp, Line 3262
Recording mode: Sequential Recording Mode

20:14:57      #17 Ext 0 File DVDR.cpp, Line 3416
Start write address at LBA0
DVD high compatibility mode: Yes

20:14:57      #18 SPTI -1066 File SCSIPassThrough.cpp, Line 181
CdRom0: SCSIStatus(x02) WinError(0) NeroError(-1066)
Sense Key: 0x05 (KEY_ILLEGAL_REQUEST)
Sense Code: 0x24
Sense Qual: 0x00
CDB Data: 0xAC 00 00 00 00 00 00 00 00 64 00 00
SenseArea: 0x70 00 05 00 00 00 00 00 0A00 00 00 00 24
Buffer x05dbfec0: Len x648

```


1D 00 00 00 00 00 00 00 00 - 00 00 00 00 00 00 00 00
 00 00 00 00 00 00 00 00 - 00 00 00 00 00 00 00 00

20:14:57 #20 Ext 0 File ThreadedTransfer.cpp, Line 268
 Pipe memory size 83836800

20:15:11 #21 SPTI -500 File SCSIPassThrough.cpp, Line 181
 CdRom0: SCSIStatus(x00) WinError(117) NeroError(-500)
 Sense Key: 0x00 (KEY_NO_SENSE)
 Sense Code: 0x00
 Sense Qual: 0x00
 CDB Data: 0x2A00 00 00 00 20 00 00 20 00 00 00
 SenseArea: 0x00 00 00 00 00 00 00 00 00 00 00 00
 Buffer x190cc080: Len x10000
 0x01 00 02 00 9A00 00 00 44 3C F0 07 20 00 00 00
 0x00 00 00 00 00 00 00 00 08 00 00 00 00 00 00
 0x00 00 00 00 00 00 00 00 00 00 00 00 00 00 00

20:15:11 #22 SPTI -114 File SCSIPassThrough.cpp, Line 181
 CdRom0: SCSIStatus(x02) WinError(0) NeroError(-114)
 Sense Key: 0x06 (KEY_UNIT_ATTENTION)
 Sense Code: 0x29
 Sense Qual: 0x00
 CDB Data: 0x2A00 00 00 00 20 00 00 20 00 00 00
 SenseArea: 0x70 00 06 00 00 00 00 0A00 00 00 00 29
 Buffer x05d92980: Len x10000
 0x01 00 02 00 9A00 00 00 44 3C F0 07 20 00 00 00
 0x00 00 00 00 00 00 00 00 08 00 00 00 00 00 00
 0x00 00 00 00 00 00 00 00 00 00 00 00 00 00 00

20:15:11 #23 CDR -114 File Writer.cpp, Line 306
 Reset occurred
 D: HL-DTST DVD-RAM GH24NS95

20:15:14 #24 Ext 0 File DVDR.cpp, Line 3818
 EndDAO: Last written address was 31 (1Fh)

20:15:14 #25 Phase 38 File dlgrnst.cpp, Line 1767
 Burn process failed at 16x (22.160 KB/s)

20:15:14 #26 Ext 0 File SCSIPTICommands.cpp, Line 287
 SPTIDismountVolume - completed successfully for FSCTL_DISMOUNT_VOLUME

20:15:16 #27 Ext 0 File Cdrdrv.cpp, Line 1141
 DriveLocker: UnLockVolume completed

20:15:16 #28 Ext 0 File SCSIPTICommands.cpp, Line 450
 UnLockMCN - completed successfully for IOCTL_STORAGE_MCN_CONTROL

Existing drivers:

Registry Keys:

HKLM\Software\Microsoft\Windows NT\CurrentVersion\WinLogon